


UTILITY-80

The Utility-80 (Gen2) is a heavy-duty work light upgraded in 2018 that represents the very best lighting performance through greater intensity and improved spread of light. 80W of LED power delivers 8,820 raw lumens which is harnessed through ultra-reflective, vacuum-metallised optics designed and engineered using the most sophisticated CAD design and light simulation software available. The result – more light distributed over a bigger area; the 50 Lux line, defined in HSE guidelines as the minimum effective illumination for working outdoors at night, is achieved at 19m, and with a spread of 13m (mounted at 3m with 20 degree down angle).






SERIES





UTILITY-80

- High density LED's
- Vacuum-metallised optics deliver wide spread of light
- Versatile mounting bracket
- EMC protected
- Electronic thermal management
- ADR (ECE/TRANS/242) compliant version avaliable
- CAE optimised 'Matrix' cooling system
- Supplied with slim-line or wide mount
- Designed & manufactured in the UK



50Lx represents HSE guidelines for effective illumination when working outdoors at night.

HIGH PERFORMANCE LIGHTING

LAZER LAMPS LTD

Units 1+2, Harlow Mill Business Centre, Riverway, Harlow, Essex. CM20 2FD. UK

Tel: +44(0)1992 677374

Email: sales@lazerlamps.com www.lazerlamps.com

TECHNICAL SPECIFICATIONS









WORK LAMP	ECE R10
VOLTAGE RANGE	9V - 32V
RAW LUMENS	8820
BEAM PATTERN	Wide
BEAM DISTANCE (50LX)	19m
# HIGH POWER LEDS	4
POWER CONSUMPTION	80 Watts
CURRENT DRAW [†]	5.5 Amps
LED LIFE	50,000 Hrs*
WEIGHT	1260g

^{*} LED Manufacturers Specifications †At 14.4 Volts

